

Charactrization of Fluorescent Proteins In Marine Organisms

Dr. Michael P. Lesser
University of New Hampshire
Department of Zoology and Center for Marine Biology
Durham, NH 03824
phone: (603) 862-3442 fax: (603) 862-3784 email: mpl@christa.unh.edu
Award #N00140210248

LONG-TERM GOAL

My principal goal is to understand the function, evolution, and taxonomic distribution of fluorescent proteins in marine organisms. Several hypotheses have been postulated regarding the function of these ubiquitous proteins including protection from the damaging effects of ultraviolet radiation and the augmentation of photosynthesis by fluorescent resonance energy transfer. I hope to be able to ascertain the function of these proteins and provide new data to answer these important questions.

OBJECTIVES

This project is directed at understanding the optical properties of coastal benthic communities in general, and in particular, coral reefs. Coral reefs have been a focus of study on fluorescent proteins and almost all corals examined to date contain one or more of these compounds. The role of green fluorescent protein (GFP) in the ecology of marine organisms and the potential commercial utility of these, and other, fluorescent proteins is presently undergoing a renaissance of interest as more fluorescent proteins are identified in the marine environment. The scientific objectives of my project are:

1. to make comprehensive taxonomic collection of marine organisms in tropical, temperate, polar, and deep sea environments to examine various taxa for fluorescent proteins.
2. to understand the evolutionary relationship between fluorescent proteins of different taxa
3. to understand the function of fluorescent proteins in those taxa expressing them
4. to understand what environmental variables affect the expression of fluorescent proteins in those taxa expressing them

APPROACH

The approach is similar to that taken for two scleractinian corals from the Bahamas; *Montastraea faveolata* and *Montastraea cavernosa*. Collections are made and samples archived for biophysical and molecular analyses of the fluorescent proteins. Differential expression of these proteins under different environmental conditions will also be examined (see Fig. 1 for example of different GFP concentrations with depth).

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2003		2. REPORT TYPE		3. DATES COVERED 00-00-2003 to 00-00-2003	
4. TITLE AND SUBTITLE Characterization of Fluorescent Proteins In Marine Organisms				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of New Hampshire,,Department of Zoology and Center for Marine Biology,,Durham,,NH,03824				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 4	19a. NAME OF RESPONSIBLE PERSON
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified			




Figure 1. Bathymetric westerns against GFP for *Montastraea faveolata* and *Montastraea cavernosa*. A) Optical density (\pm SD) of immunoblots for GFP from field samples of *M. faveolata*. B) Optical density (\pm SD) of immunoblots for GFP from field samples of *M. cavernosa*. No significant effect of depth was detected for either species.

WORK COMPLETED

Extensive collections of marine organisms have been made in the Bahamas down to a depth of 300 fsw. We have also just completed a cruise aboard the Seward Johnson II using the Johnson Sea-Link II for fluorescence discovery in the deep ocean to depths >2000 fsw. Additional collections have been made in the Gulf of Maine and Hawaii and are planned for Antarctica, hydrothermal vents, and the Pacific Northwest. We have begun to isolate RNA from these samples to synthesize cDNA and eventually sequence fluorescent protein genes.

RESULTS

Our most recent cruise using the submersible Johnson Sea-Link II has shown that GFP-like fluorescent proteins are present in deep-sea cnidarians, mainly cup corals and tube dwelling sea anemones. In the absence of any available solar radiation explaining the presence of these proteins in this location will be an important area of research in the immediate future. I will also be going to the Antarctic again to continue our fluorescence discovery in that unique habitat.

IMPACT/APPLICATIONS

In addition to understanding the evolution and function of these proteins there is the possibility of discovering new fluorescent proteins with spectral properties desired by the biotechnology community and therefore the potential for commercialization exists.

TRANSITIONS

No data from this project is presently being used by others.

RELATED PROJECTS

Charlie Mazel-ONR, CoBOP

PUBLICATIONS

None